


SERIE EP-BT-P (Centrifugal fan with simple inlet)



- Suitable to convey dusty air and oil mist with temperatures until 60°C
- Extractible unit ventilator (motor+impeller)
- Accessories: ring with protective grid
- Impeller in painted steel with plane welded blades
- Made in painted steel

TECHNICAL FEATURES

- Electrical motor 2 poles: Air flow from 280 to 7000 m³/h with Pressure from 42 to 240 mm H₂O




MODEL	A	B	C	D	E	F	G	H	I	L
EP-BT/P 160	90	90	133	133	112	112	93	134	248	252
EP-BT/P 200	123	113	170	160	149	128	115	168	300	293
EP-BT/P 240	135	135	190	190	164	164	141	187	373	333
EP-BT/P 280	162	173	222	233	194	205	160	225	438	400
EP-BT/P 330	202	193	262	253	234	225	193	250	513	465

MODEL	EP-BT/P160	EP-BT/P 200	EP-BT/P 240	EP-BT/P 280	EP-BT/P 330
Hp	0,5	0,75	1,5	3	5,5
W	368	552	1104	2208	4048
Rpm	2800	2800	2800	2800	2800
Min./ Max. Flow rate (m ³ /h)	280 / 630	600 / 1250	1000 / 2400	1600 / 3600	3600 / 7000
Max. pressure (mm H ₂ O)	42	90	134	175	240

EP-BT / P

160

mm
H₂O




m³/h

EP-BT / P

200

mm
H₂O



m³/h

EP-BT / P

mm
H₂O

240




m³/h

EP-BT / P

280

mm
H₂O



m³/h

EP-BT / P

mm
H₂O

330

