



Ventilmotor s.r.l.

VENTILATORI CIVILI - INDUSTRIALI

**CENTRIFUGAL
CROSS FLOW FAN**


[CROSS FLOW FAN]



Cross Flow fan
that stands out for the
high level of engine protection
(IP55 / IP65 on request).
Ventilmotor offers the possibility to
install the fan in high temperatures and
unhealthy air environments. Low noise levels
thanks to the innovative transmission system,
which involves the presence of a no-play
coupling paired to the motor, with strong
long-shaft transmission supported by shield-
ed bearings. Ideal for pellet stoves builders,
for paper printing machines, barriers and
air curtains, cooling of electrical
panels, shelters, etc.
On demand: stainless steel.

6 Blades Fan


A	B	C	D	E	F	G	H	I	L	M	N
621	655	855	122.5	66.5	67	130	643	56	90	124	135



Motor	RPM	kW Inst.	Air Flow	Pressure
Cod. 904550	2800	0.18	1053 m ³ /h	270 Pa

3 Blades Fan

A	B	C	D	E	F	G	H	I	L	M	N	O
118	314	348	451	57	65.5	67	63	96	325	56	124	135



Motor	RPM	kW Inst.	Air Flow	Pressure
Cod. 904550	2800	0.09	530 m ³ /h	270 Pa

Ventilmotor s.r.l a socio unico ©2016

Uffici e Stabilimento: Via Piaggio, 74 - 20037 - Paderno Dugnano (MI) Sede Legale: Via G. Pogliani, 34 - Paderno Dugnano (MI)

Tel: +39 02.9101051 / +39 02.99041382 Fax: +39 02.9103661 Web: info@ventilmotor.com - www.ventilmotor.com

Capitale Sociale € 10400.00 i.v. - REA 1519030 - N° Registro Imprese MI 53691 - P. Iva 02632870966 - ITALY

TÜV
INTERCERT
SAAR
ISO 9001
Certificate n° 10-Q-10177-TIC